

STEINER

ST420

Wheel Balancer



**WHEEL BALANCER FOR CAR DEALERSHIPS,
WORKSHOPS AND GARAGES**



Ideal for:

Perfect for Car Dealerships, Workshops and Garages that would like to add wheel balancing with automatic data input to their capabilities. The ST420 is suitable for passenger car and SUV wheels, with an optional adaptor available for motorcycle wheel balancing.

Features:

- › 5 ALU balancing programs and 2 ALU Smart programs, with intelligent switching between STD and ALS2 balance modes
- › Automatic data input
- › Automatic start/stop with electromagnetic wheel positioning at the imbalance point
- › LED inner-wheel illumination for easier weight placement
- › German Haweka Quick Lock System for precise wheel clamping and long service life
- › 40 mm balance shaft compatible with standard industry accessories
- › Optimisation and weight split functions
- › Integrated power adaptor for stable operation across varying supply voltages
- › Italian designed for precision, long-term accuracy and functionality



Our promise: If you are not 100% satisfied with your equipment, Hoist & Garage will repair, replace or refund the equipment free of charge within the first 100 days.

ST420

Wheel Balancer

STEINER

Max. wheel weight



70 KG

Rotating speed




140 RPM

Rim width




1.5 - 20"

Max. wheel diameter



1118 mm



Features:

- › 5 ALU balancing programs and 2 ALU Smart programs, with intelligent switching between STD and ALS2 balance modes
- › Automatic data input
- › Automatic start/stop with electromagnetic wheel positioning at the imbalance point
- › LED inner-wheel illumination for easier weight placement
- › German Haweka Quick Lock System for precise wheel clamping and long service life
- › 40 mm balance shaft compatible with standard industry accessories
- › Optimisation and weight split functions
- › Integrated power adaptor for stable operation across varying supply voltages
- › Italian designed for precision, long-term accuracy and functionality

SPECIFICATIONS

Power Supply	240V 50hz
Rim diameter	8"-28"
Rotating speed	140 RPM
Maximum wheel diameter	1118mm
Maximum wheel weight	70 kg
Balance period	7s
Balance precision	+/- 1 g
Motor power	90W
Noise level	<75dB
Second time mounting on precision	<5 g
Dimensions	1160mm W x 1550mm L x 1490mm H
Weight	132 kg



COMPLETE SOLUTIONS FOR AUTO WORKSHOPS



Our promise: If you are not 100% satisfied with your equipment, Hoist & Garage will repair, replace or refund the equipment free of charge within the first 100 days.

0800 436 436
hoistandgarage.co.nz