

STEINER

LT455A

5.5 Tonne Hydraulic 4 Post Alignment Hoist



ALIGNMENT HOIST



Ideal for:

Workshops and service centres that offer alignments to a wide range of vehicles.

Features:

- › Easy-to-use electro-air control system.
- › Reliable mechanical self-lock with quick, air-powered safety release.
- › Durable electric-hydraulic power system with cable drive.
- › Skid-resistant diamond-pattern platform for secure footing.
- › Adjustable platform and safety-lock ladders for a precise fit.
- › Dual safety protection: if the primary locks fail, a secondary system automatically engages.
- › Flexible turntable positions to suit a wide range of wheelbases.





Our promise: If you are not 100% satisfied with your equipment, Hoist & Garage will repair, replace or refund the equipment free of charge within the first 100 days.

LT455A

5.5 Tonne Hydraulic 4 Post Alignment Hoist

STEINER



Features:

- › Easy-to-use electro-air control system.
- › Reliable mechanical self-lock with quick, air-powered safety release.
- › Durable electric-hydraulic power system with cable drive.
- › Skid-resistant diamond-pattern platform for secure footing.
- › Adjustable platform and safety-lock ladders for a precise fit.
- › Dual safety protection: if the primary locks fail, a secondary system automatically engages.
- › Flexible turntable positions to suit a wide range of wheelbases.

SPECIFICATIONS


Lifting capacity	5500kg
Lifting time	60 Sec
Overall Length (Inc. Ramps)	6012mm
Overall Length (No Ramps)	5100mm
Overall Width	3208mm
Width Between Posts	2852mm
Max. Lifting height	1915mm
Overall Height	2185mm
Minimum Height	220mm
Motor	4.0HP
Gross Weight	1326kg

LT455A

5.5 Tonne Hydraulic 4 Post Alignment Hoist


ALIGNMENT HOIST

Design & safety



› Safety

Dual safety device acts as backup to mechanical locks.




› Safety

Non-slip diamond platforms come as standard.




› Control box

Electric control device with UP, LOCK and DOWN.



› Design

Oil-water separator and solenoid air valve are installed on the power side column.



› Adjustable turnplate blocks

Adjustable turnplate blocks to fit various wheel bases vehicles.



› Flexibility

Controls can be mounted on either side of the hoist.

Options




› Optional

Rolling Jack - manual hydraulic type 3,500 kg.




› Optional

Air Line Kit - for rolling jack equipped hoists.



› Optional

Platform Extension Kit - adds an extra 660mm length to the platform.



› Optional

Turnplates - set of two (one set required per hoist).



› Optional

Adjustable blocks - used with the platform extension kit.



COMPLETE SOLUTIONS FOR AUTO WORKSHOPS



Our promise: If you are not 100% satisfied with your equipment, Hoist & Garage will repair, replace or refund the equipment free of charge within the first 100 days.

0800 436 436
hoistandgarage.co.nz